[NB. The date of this Catalogue is 1802]

Holten (H. S.) K.

Enumeratio systematica Conchyliorum.

beat

I. H. Chemnitzii

quondam ecclesiæ Zebaothi Havniæ pastoris, plurium societatum sodalis p.p.

quæ publica auctione venduntur die 7mo Decembris ann præs.

Havniæ. MDCCCII.
Typis K. H. Seidelini.

[N.B. The date of the sale has in the Linnean Society copy been altered in MS. to 7 Februarii 1803.]

L. B. S.

Collectio Conchyliorum, quorum enumerationem heic Tibi conchyliophilo lectori, offero, sive specierum numerum, sive speciminum integritatem et pulchritudinem spectes, magni est momenti, eo autem magnopere ejus augetur pretium, quod continet prototypa descriptionum libri, cui titulus est Systematisches Conchylien-Cabinet. Cum elaboratione plurimarum hujus libri partium et indefessa in colligendo cura beat. Chemnitzius jam sat sibimagnum inter omnes naturæ scrutatores nomen acquisivit, supervacuum habes relictum ejus Museum

laudare; sed pauca tantummodo ad illustrationem hujus catalogi mihi adferre liceat.

Non ignarus eruditarum commentationum, quas in scientia conchyliologica præsertim elaborarunt Franco-Gallorum celeberrimi La Mark et Brugiere temporibus proxime elapsis, doleo, in pluribus actis periodicis, optimas has emendationes dissipatas ideoque non sine maximo incommodo colligendas et huic catalogo legendo adhibendas, qua de causa normam Linneanam secutus sum, et quidem

ecundum editionem deci-
mam tertiam cura Gme-
ini, ubi plurimæ species
ommemoratæ sunt. Paucis-
ima, præsertim quoad spe-
ies, mutavi, quod per to-
um hoc opusculum mallem
arum varietates augere,
uam falsas et dubias enu-
merare. Rariora, quippe
uæ satis nota Conchyliologis
non signavi, attamen, quan-
uam plurima hujus collec-
ionis specimina integerrima
unt, quædam pulchritudine
magnitudine vel integritate
nsigniora notavi. Numerum
peciminum ad singulam
peciem, et si plura quam
ia sunt, specimina plu-
ima (sp. plur.) posui.

Cæteroquin ignoscat
æquus et benevolus hu-
jus catalogi lector erra-
ta, quæ vel in dispositi-
onem vel in specierum
descriptiones irrepserint.

H. S. Holten.

Celsissimorum Principum
Christiani Frederici
et Frederici Ferdinandi
præceptor.

Errata.

Pag. 9 Lin. 18 unis lege unic.
" 15 - 6 sdecies l. species.
" 21 - 8 spinos - l. spinosis
- 23 - 13 adde C.
- 34 - 15 desig. l. descript.
- 36 - 22 præcendenti l. præcedenti.
- 37 - 17 arauciacus l. Aurisiacu
- 40 - 21 præcedentis l. Præcedenti
- 41 - 9 Lync l. Lynx.
- 43 - 11 Mysalis l. Physalis.
- 44 - ult flamea l. flammea.
- 47 - 8 Cornus l. Conus.
- 48 - 9 detrittis l. detritis.
- 49 - penult tranquebarium l. tranquebaricum.
- 57 - 11 prima l. primæ.
- 58 - 22 Gnel l. Gmel.
- 64 - 9 spesies l. species
- - - - cylindrico l. cylia-drico.

–	–	12	fusciis l. fuscis.
–	70	ult	integerrima l. integerrimus.
–	76	24	truncata l. truncato
–	79	1	Albumnen l. Albumen
–	80	7	subsasciata l. subfasciata.
–	86	penult	5 deleatur.
–	88	20	absqe l. absque.

Multivalvia.

Chiton.

No. 1 C. Tigris Spengleri Act. Soc. Hist. nat. Hafn. P. 4 Fasc 1. p. 68. sp. plur.
2 C. undatus Linn. sp. plur.
3 C. — Var. septemvalv. sp. plur.
4 C. viridis Sp. loc. cit. sp. un.
5 C. ferrugineus Sp. loc. cit. p. 72 candisatus Chemn? sp. 3.
6 C. olivaceus. Var. c. Sp. l. c. p. 75. sp. unic.
7 C. punctatus Linn. sp. unic.
8 C. aculeatus Linn. sp. 4. quorum unum maxim.
9 C. Salamander sp. loc. cit. 80. sp. plur.
10 C. fascicularis Linn. sp. 3.

11 C. marmoratus Linn. sp. plur
12 C. — Var. sexvalv. sp. 2.
13 C. cerasinus Chemn. Tom. VIII fig. 797. sp. 3.
14 C. magellanicus. Chemn. T. VIII fig. 797. 798 sp. unic.
15 C. Linter. Chemn. T. VIII fig. 799. 800. sp. unic.
16 C. Papilio Spengl. loc. cit. p. 86 (bilineatus Chemn.) sp. 3.
17 C. nova species e freto magellanico. Testa octovalvi dorsata, valvulis angulatis semicirculariter striatis colore fuscobrunneo vel viridi brunneo variegata, subtus albida. Longit 3 poll. latit. 1½ poll. sp. 2.
18 C. ruber. Linn. sp. plur.
19 C. marmoreus. Fabr. Faun. groenlandic. Chemn. VIII. fig. 812. sp. plur.

page 2.

20 C. minimus Chemn. T. VIII. fig. 814 sp. plur.

21 C. albus Linn. sp. plur.

22 C. Asellus Chemn. VIII fig. 816. sp. plur.

23. C. nov. spec. Favanne Conchyliologie tab. 16 A, 3. sp. unic.

24 C. nov. species. Testa octovalvi carinata glabra, ad latera transversim striata, colore fusco et griseo. Magnit. semipollic. Patria mihi ignota. sp. plur.

Catalog of Chemnitz Collection, by 3 Holten.

25 C. nov. species. Testa octovalvi subcarinata, valvulis angulatis, angulis utrinque margine elevato, dorso lævi, colore viridi, albo et rubro variegata. Longit. $3\frac{1}{2}$ Lin. latit $1\frac{1}{2}$ lin. Patria mihi ignota. sp. unic.

26 C. nov. species. Testa septemvalvi glabra, valvulis angulatis. qvarum prima, septima et omnium anguli transverse undatim striati, dorso punctato, colore griseo. Ex insula St. Thomæ. sp. unic.

Lepas.

27 L. Balanus Linni. sp. 3.

28 L. — Var. d. Chemn. VIII fig. 830. sp. unic.

29 L. plicata Spengl. loc. cit. pag. 167. sp. plur.

30 L. balanoides L. sp 2.

31 L. — Var. c. Sp. loc. cit. p. 171. sp. unic.

32 L. — Var: d. ibid. sp. 2.

33 L. purpurea sp. loc. cit. sp. unic.

34 L. foliacea L. sp. 2 pulcherr.

35 L. fistula Chemn. VIII fig. 832 sp. unic.

36 L. echinata ibid. fig. 841. sp. plur.

37 L. echinata Var. ibid. fig. 840. sp. plur.

38 L. Tintinnabulum L. sp. 2.

39 L. testndinaria L. sp. 2.

40 L. balænaris. Chemn. VIII fig. 845. 846. sp. unic.

41 L. Diadema L. sp. 3.

42 L. fungites sp. loc. cit. p. 189. sp. 3.

43 L. nova species. Testa 13 radiata transversim striata. E mari mediterraneo testudin affixa. sp. unic.

44 L. anserifera *L.* sp. unic.

45 L. — Var. minima Chemn. (nova species? testa sulcis distinctis elevatis. Ex Indi orientali. sp. unic.

46 L. anatifera. L. sp. unic.

47 L. Mitella L. sp. 2.

48 L. aurita L. sp. unic.

Pholas.

49 P. dactylus L. sp. unic. integerr.

50 P. costatus. *L.* sp. unic.

51 P. siamensis Spengl. loc. cit. pars. 2 fas 1. p. 88. sp. 2 integ.

52 P. candidus *L.* valv. unic.

53 P. candidus Var. triplo minor. sp. 2. integr.
54 P. pusillus *L*. sp. unic.
a P. — idem in ligno.
55 P. crispatus *L*. sp. unic.
56 P. nova species. Testa conica longitudinaliter striata, pars angustior hians, cardine lævi. Longit. lineari. E mari indico. sp. unic.

Chœna.

57 C. cuneiformis Spengl. loc. cit. pars 3. fasc 1. p. 22. sp. plur. qvor. 2 maxim.
58 C. rostrata. ibid. p. 23. sp. 3.

Bivalvia.

Mya.

59 M. truncata *L*. sp. 1 maj. 2 min.
a. M. eadem cum hospite. sp. 3.
60 M. arenaria *L*. sp. unic maj. plur min.
61 M. anatina sp. loc. cit. p. 31. (Solen anatinus *L*.) sp. 2. pulcherr.

62 M. guineensis ibid. pag. 34 sp. un. integ.
63 M. orbiculata ibid. pag. 38. sp. plur.
64 M. rostrata ibid. pag. 42. sp. plur.
65 M. glycymeris ibid. pag. 43. sp. unic. magnitudine 10- pollicari.
a. M. eadem. Valv. unic. magnit. 12 pollic.

Unio.

66 U. margaritiferus Retzii sp. unic.
a. U. — Var. major et crassior. Valv. unic.
67 U. tumidus R. sp. unic.
68 U. pictorum. sp. 2.
69 U. delphinus Spengl. loc. cit. pag. 63. e Holsatia. Chemn. X fig. 1650 sp. 2.
70 U. corrugata sp. 2.
a. U. — Var. testa crassa majori. rugis obsoletis. e Gallia sp. 2.
71 U. syrmatophora. (Mya syrmatophora Gronovii Zoophylac. fasc. 3. tab. X. fig. 1-2.) E Brasilia. sp. unic.
72 Uniones maturi, monstrosi, 2 majores, 2 minores.

a. Uniones immaturi e Norwagia 3. maj. 3 min.
b. — varii immaturi.

Solen.

73. S. Vagina. sp. 3.
a. S. Var. minor e Guinea sp. unic.
b. S. Var. minim. sp. 2.
74 S. rotundatus. Spengl. loc. cit. pars 3. fasc. 2. p. 86. sp. 2.
75 S. Siliqua *L.* sp. 2.
76 S Ensis sp. unic.
a. S. - Var. a. Spengl. loc. cit. p. 90. sp. 3.
b. S. — Var. b. ibid. p. 91. sp. unic.
77 S. *Legumen.* sp: 2.
a. S. — Var. sp. unic.
78 S. lacteus. Chemn. sp. 2.
79 S. cultellus *L.* sp. 2.
80 S. pellucidus Pennant. tab. 46. fig. 23. sp. 2.
81 S. radiatus Chemn. sp. 3.
82 S. fasciatus Chemn. sp. 2.
83 S. diphos. *L.* sp. unic.
84 S. rostratus Chemn. sp. 3.

85 S. strigilatus *L.* sp. 3.
a. S. — Var. Spengl. loc. cit. p. 101. sp. unic.
86 S. rhombus Chemn. sp. unic.
87 S. guineensis. Chemn. X. fig. 1937. sp. 2.
88 S. tellinata Spengl. loc. cit. p. 106. sp. unic.
89 S. pictus Chemn. sp. unic.
a. S. — Var. Spengl. loc. cit. p. 109. sp. unic.
90 S. fucatus ibid. p. 111. valv. unic.
91 S. minutus *L.* sp. 3.

Tellina.

92 T. Gari. sp. 2.
a. T. — Var. 6. Spengl. loc. cit. pars. 4. fasc. 2 pag. 72. sp. 2.
A. T. fragilis. sp. unic.
93 T. semiplanata. Spengl. loc. cit. p. 75. sp. 2.
94 T. Spengleri. sp. 3.
95 T. rostrata. sp. 2.
96 T. Perna. valv. unic.
97 T. virgata. *L.* sp. 2.
a. T. — Var. e. Spengl. loc. cit. p. 82. sp. un. maj. un. minim.

b. T. — Var. f. ibid. sp. unic.
c. T. — Var. h. ibid. p. 83. sp. unic.
d. T. — Var. i. testa albido- rubra, radiis violaceis. sp. 2.

98 T. cruciata Spengl. loc. cit. p. 83. sp. 2.
99 T. rosea. Chemn. VI. fig. 96? valv. unic.
100 T. punicea. Born. tab. 2. f. 8. sp. unic.
1 T. fuccincta. Born. tab. 2. fig. 9. sp. unic.
2 T. Gargadia *L.* sp. unic.
3 T. lingua felis. sp. unic.
4 T. rugosa Born. sp, 2.
5 T. angulata. *L.* sp. unic.
6 T.? Chemn. X. fig. 1651-1653. (an. Var. T. Abildgaardianæ Spengl. loc cit. p. 90.) sp. 2.
7 T. lævigata *Lin.* Var? valv. unic.
a. T. — Var. b. sp. unis. polit.
8 T. radiata sp. 2 maxim.
a. T. — Var. min. sp. plur.
9 T. edentula Spengl. loc. cit. sp. unic.
10 T. papyracea. *Lister.* tab. 395. fig. 242. sp. unic.
11 T. strigilata Chemn. VI fig. 85. sp. 3.
12 T. pellucida Spengl. loc. cit. p. 101. sp. unic.

113 T. foliacea *Linn.* sp. unic. pulcherr.
14 T. striata Chemn. sp. unic. —
15 T. opalina ibid. sp. plur. —
16 T. lanceolata ibid. sp. 2.
17 T. planata Spengl. loc. cit. p. 108. sp. plur. divers. magnit.
18 T. trifasciata *L.* sp. unic.
a. T. færoeensis Chemn. VI. fig. 91. sp. 2.
19 T. incarnata *Linn.* sp. 2.
20 T. balaustina L. sp. unic.
21 T. donacina *L.* sp. unic.
22 T. sabulosa. Spengl. loc. cit. p. 114. sp. unic.
23 T. Remies. sp. 2.
24 T. reticulata. sp. unic.
25 T. scobinata. sp. 2.
26 T. digitaria sp. 2.
27 T. muricata. sp. 2.
28 T. scabra Chemn. XI. fig. 1943-1944. sp. unic.
29 T. cordiformis. ibid. fig. 1941-1942. sp. unic.
30 T. bimaculata sp. 2.
31 T. lacustris. sp. plurim.

Cardium.

132 C. costatum. sp. 1. max. 1. med.
a. C. — Var. minor. sp. unic.
33 C. Cardissa. sp. 3.
34 C. roseum. sp. unic.
35 C. retusum. sp. 3.
36 C. Hemicardium sp. unic.
37 C. medium sp. 2.
a. C. — Var. sp. unic.
38 C. aculeatum. sp. unic. pulcherrimum, aculeis maximis.
a. C — Var. glabra, margine nodoso, aculeis maximis sp. unic.
39 C. echinatum. sp. 3 pulcherr.
40 *C.* ciliatum. Fabricii Fauna groenl. sp. 3. var. magnit.
41 *C.* ciliare sp. unic.
42 *C.* tuberculatum sp. unic.
a. *C.* — Var. min. sp. 2.
43 *C.* Isocardia. sp. 2 pulcherr.
a. *C.* — Var. min. sp. 2.
44 *C.* Unedo. sp. 2.
45 *C.* muricatum. sp. 2.
a. *C.* — Var. med. sp. unic.
b. *C.* — Var. min. sp. unic.

146 *C.* magnum. sp. 3.
a. *C.* — Var. *β*. Sp. 2.
b. *C.* — Var. *γ*. sp. 3.
47 *C.* flavum sp. 3.
48 *C.* lævigatum. sp. 1. magn. 3. min.
49 *C.* serratum. sp. unic.
a. *C* — Var. min. sp. unic.
50 *C.* edule. sp. unic. magn.
a. *C.* — Var. min. sp. 3.
51 *C.* islandicum. sp. unic.
52 *C.* groenlandicum. sp. 2.
53 *C.* glaucum? sp. 2.
54 *C.* *Lima.* sp. 2.
55 *C.* ringens. sp. unic.
56 *C.* æolicum. sp. unic. pulcherr.
57 *C.* oblongum. sp. unic.
58 *C.* crassum. sp. 2.
a. *C.* — Var. flava. Testa profunde sulcata, antice sulcis dentatis, postice imbricatim transverse rugosis. E Tranquebaria. sp. 2.
59 *C.* latum. sp. unic.

Mactra.

60 M. Spengleri. sp. unic. integr.

161 M. plicataria, sp. 2.

a. M — Var. Chemn. XI, fig. 1959-1960. sp. 3.

62 M. striatula sp. 3.

63 M. nova species. Testa lævi diaphana, umbonibus lævibus, vulva latissima substriata impressa, marginata. E Brasilia, sp. unic.

64 M. striata. valv unic.

65 M. corallina sp. 3.

66 M. lactea, sp. unic.

67 M. stultorum, sp. 3.

a. M. — Var. pulcherr. fusco et albo striata. valv. unic.

68 M. solida, sp. unic.

a. M. — Var. tota alba. sp. 3.

b. M. — Var. alba fusco marginata. sp. 2.

69 M. lutraria. sp. 2.

70 M. Cygnus. sp. 2.

71 M. maculata. sp. 3.

72 M. turgida. sp. 2.

73 M. violacea. sp. 2.

74 M. cuneata. sp. unic.

75 M. glauca. sp. unic. magnit. 5 pollic.

76 M. pellucida. sp. unic.

77 M. fragilis, sp. plur.

178 M. rugosa. sp. unic.

79 M. nicobarica. sp. 2.

80 M. complanata. valv. unic.

81 M. achatina. *Chemn.* XI. fig. 1957-1958. sp. unic.

82 M. nova species. Testa oblonga, fusco-albida, tota transversim profunde striata, striis lævibus, maculis fuscis sparsis, vulva anoque impressis, fasciis fuscis marginatis. *Longit.* 3 poll. *Latit.* 1 poll. E Tranqvebaria. sp. unic.

Donax.

83 D. Scortum. sp. 3.

84 D. rugosa sp. 2.

85 D. Trunculus. sp. 2.

86 D. striata. sp. 3.

87 D. denticulata. sp. plur.

88 D. cuneata. sp. 3.

89 D. Faba. sp. 3.

90 D. scripta. sp. plur.

a. D. — Var maculata sp. 2.

b. D. — Var. minor. sp. plur.

c. D. — Var. violacea, immaculata, margine albo. sp. unic.

191 D. Irus. sp. max. et pulcher.

a. D. — Var. min. sp. 2.

92 D. lævigata Chemn. VI. fig. 249 sp. unic.

93 D. spinosa. ibid. fig. 258. sp. 2.

94 D. incarnata. ibid. fig. 259. sp. plur.

95 D. nova sdecies. Testa leviter striata, antice prominens, natibus violaceis, colore fusco-albo, fasciis violaceis. E Tutucoryn, Coromandeliæ. sp. plur.

96 D. nova species. Testa flava postice rotundata, antice rostrata, natibus profunde striatis, valvulis longitudinaliter substriatis, margine interiori dentato. Patria mihi ignota. Valv solitar.

97 D.? Chemn. X. fig. 1668-1671. Valv. 3 solitar. Corbula Brugiere Encyclop. methodique.

Venus.

98 V. Dione sp. 2.

99 V. Paphia. sp. 3.

a. V. — Var. rugis membranaceis. sp. unic.

b. V. — Var. minim. Chemn. VI. fig. 277-278 sp. unic.

200 V. Marica. sp. 3.

a. V. — minor, striis elevatis, sp. 2.

1 V. Dysera. sp. 2.

2 V. verrucosa. sp. 2.

3 V. Casina. sp. 2.

4 V. cancellata. sp. 2.

a. V. — Var. minim. sp. 3.

5 V. Gallina. sp. 3.

6 V. flexuosa. sp. 2.

7 V. Erycina. sp. 2. max. 2. min.

a. V. — Var. (Venus costata Chemn. XI. fig. 1975.) sp. unic.

8 V. mercenaria sp. 2.

9 V. islandica. sp. 3.

10 V. Chione. sp. 2.

a. V. — Var. B. Chemn. VI. fig. 340. valv. unic.

11 V. maculata. sp. 3.

12 V. meretrix. sp. unic.

a. V. — Var. Chemn. VI. fig. 351. sp. 2.

b. V. — Var. sordide fusca, maculata. sp. plur.

c. V. — Var. min. sp. plur.

13 V. læta. sp. unic.

a. V. — Var.? Chemn. VI. fig. 376-377. sp. plur.

214 V. castrensis. sp. plur.
a. V. — Var. min. maculata. sp. 2.
b. V. — Var. min. reticulata. sp. 2.
15 V. deflorata. sp. plur.
a. V. — Var. e Ceylonia.
16 V. fimbriata. sp. unic. pulcherr.
17 V. reticulata. sp. 2.
a. V. — Var. radiis distinctis. sp. 2.
b. V. — Var. minima maculata. sp. unic.
18 V. puerpera. sp. 2.
a. V. — Var. maxima dealbata. sp. unic.
19 V. tripla. sp plur.
20 V. plicata. sp. 2.
21 V. rugosa. sp. 2.
22 V. granulata. sp. unic.
23 V. imbricata. sp. 2.
24 V. divaricata. sp. 3.
25 V. contraria. sp. unic.
26 V. Gallus. sp. 3.
27 V. Corbicula. Valv. unic.
28 V. hermaphrodita. sp. unic.
29 V. coaxans. sp. unic.
30 V. casta sp. 2.
a. V. — Var. minor. sp. plur.
31 V. affinis. sp. 2
32 V. opima. sp. 3.

233 V. triradiata. sp. 3.
34 V. nebulosa. sp. plur.
35 V. contemta. sp. 2.
36 V. striata. sp. 2.
a. V. — Var. min. sp. 2.
37 V. textile. sp. plur.
38 V. corrugata. sp. plur. var. magnit.
39 V. monstrosa. sp. 3.
40 V. ponderosa. sp. unic.
41 V. fusca. Lister Conchyl. tab. 423. fig. 271. sp. unic.
42 V. senegalensis. Adanson. tab. 17. fig. 11. sp. unic.
43 V. tigrina. sp. 2.
44 V. prostrata. sp. unic.
45 V. pensylvanica. sp. 2.
a. V. — Var. margine coccineo. sp. unic.
46 V. spuria. sp. 3.
47 V. punctata. valv. unic.
48 V. exoleta. sp. unic.
a. V. — Var. Chemn. VI, fig. 406. sp. unic.
49 V. borealis. sp. 3.
50 V. pectinata. sp. 2.
a. V. — Var. fusco-maculata. sp. unic.
b. V. — Var. minor, fusco-fasciata. sp. unic.

251 V. scripta sp. plur. var. magnit.
a. V. — Var. antice transversim sulcata. An nova species? sp. 2.
52 V. edentula sp. unic.
a. V. — fossilis. sp. unic.
b. V. — Var. min. sp. unic.
53 V. concentrica. sp. 2.
a. V. — Var. min. ap. plur.
54 V. juvenilis sp. unic.
55 V. histrio. sp. unic. (Vix a Venere juvenili distincta species, potius hujus varietas.)
56 V. litterata. sp. unic.
a. V. — Var. nebulosa. sp. plur. var. magnit.
b. V. — Var. punctata. sp. unic.
c. V. — Var. minor. Chemn. VI. fig. 364. (japonica *Gmelini*). sp. unic.
57 V. rotundata. sp. unic.
58 V. decussata. sp. 3.
a. V. — Var. radiata. sp. 2.
59 V. virginea. sp. plur.
a. V. — Var. Chemn. VII. fig. 458. sp. 2.
60 V. fluminalis. ibid. fig. 320. sp. unic.
61 V. fluviatilis. ibid. fig. 321. sp. 2.
a. V. — Var. minima e *Groenlandia*. sp. unic.

262 V. fluminea ibid. fig. 322-323. sp. 3.
63 V. badia. Chemn. XI. fig. 1978. sp. 2.
64 V. corrugata. ibid. VII. fig. 410-411. sp. 3.
65 V. dispar. ibid. XI. fig. 1981. sp. plur.
66 V. æquivoca. ibid. XI. fig. 1980. sp. unic.
67 V. chinensis. ibid. XI. fig. 1976. sp. unic.
68 V. recens. ibid. XI. fig. 1979 sp. 2.
69 V. paupercula. ibid. XI. fig. 1977. sp. unic.
70 V. cordialis. Chemn. nov. species.
71 V. nova species. sp. unic.
72 V. nova species. sp. unic.
73 V. ovata Penn. Brit. Zool. tom. 4. tab. 16. fig. 16. sp. plur.
74 V. non descripta. Testa rotundata tumida, sulcis transversis elevatis, ano cordato, rima ampla aperta. Colore albo fusco transverse variegata, natibus albis; magnitudine 1½ pollicari. E Guinea. sp. unic.
75 V. non descripta. Testa subovata tumida fusca albo radiata, transversim subtiliter striata, vulva ovata, natibus elevatis. Ex India orientali (V. meritrici affinis) sp. unic.

Spondylns.

276 S. Gædaropus L. Chemn. VII. fig. 459. sp. unic.

a. S. — Var. β. ibid. Vign. 9. fig. a. b. sp. 3.

b. S. — Var. γ. ibid. Vign. 9. fig. c. sp. 2.

c. S. — Var. δ. ibid. fig. 460. spec. 2, quorum unum pulcherrimum, spinossimum, spinis integerrimis.

d. S. — Var. ε. ibid. fig. 461-462. sp. 2.

e. S. — Var. ζ. ibid. fig. 463. sp. 2. integerrima.

f. S. — Var. η. ibid. fig. 464. sp. 2.

g. S. — Var. ead. sp. jun. testa radiatim aculeata sp. unic.

h. S. — Var. θ. ibid. fig. 465. sp. 2. pulcherrim.

i. S. — Var. ι. ibid. fig. 476. sp. unic. aculeis detritis.

k. S. — Var. n. descr. Testa alba, maculis in valvula superiori quadratis, coccineis, radiatim dispositis, radiis spinis confertis. Longit. pollic. latitud. semipollicar. In Lepade ex Ind. orient.

l. S. — Var. ead. major (adulta, parte inferiori violacea.

m. S. — Var. νν. Chemn. ix. fig. 984. sp. unic.

n. S. — Var. ξξ. ibid. fig. 985-986. sp. unic.

o. S. — Var. οο. ibid. fig. 987. sp. unic.

p. S. — Var. ςς. ibid. fig. 991. sp. unic.

277 S. plicatus. Chemn. sp. 3.

Chama.

78 C. Cor. sp. 3.

79 C. Gigas. sp. un. lat. 9. poll. squamis integr. sp. alt. minus.

a. C. — *V*ar. minima. lat. bipollic. sp. unic.

b. C. — *V*ar. Chemn. xi. fig. 1997-1998. sp. unic.

c. C. — *V*ar. squamis imbricatis latitud. 6 pollic. sp. un.

d. C. — *V*ar. ead minor. sp. unic.

80 C. Hippopus. sp. 2.

a. C. — *V*ar. min. sp. unic.

81 C. antiquata. sp. 3.

282 C. trapezia. sp. 3.
83 C. calyculata. s. 3.
84 C. cordata. *Var.* reniformis Gmel. Syst Nat. 3301. sp. un.
85 C. oblonga Chemn. XI. fig. 1993-1994. sp. unic.
86 C. Lazarus. sp. pulcherr. unic.
a. C. — *Var.* lamellis detritis. sp. unic.
87 C. gryphoides. sp. 3.
88 C. bicornis. sp. unic.
89 C. Arcinella. sp. 2.
90 C. concamerata. sp. plur.
91 macerophylla. sp. 2.
92 C. foliacea. sp. 3.
93 C. squamosa. Chemn. XI. fig. 1995.1996 sp. 2.
94 C. gryphica. Linn. Mantiss. valvulis solitariis.

Arca.

295 A. tortuosa sp. 3.
96 A. Noæ. sp. max. unic. (Arc. magellanica Chemn. VII. fig. 539.
a. A. — spec. vulg. 3.

b. A. — Var. Gualt. Test. fig. G.

97 A. barbata. sp. 3.

a. A. — Var. imberbis. sp. 3.

98 A. Modiolus Chemn. (Var. A. ovatæ?) sp. 3.

99 A. Pella. sp. 2.

300 A. ovata. sp. 2.

01 A. rostrata. sp. unic. maj. min. plur.

02 A. minuta. sp. plur.

03 A. lactea. sp. 3.

04 A. antiquata. sp. 2.

a. A. — Var. barb. sp. 2.

b. A. — Var. sulcis elevatis. sp. unic.

c. A. — Var. ead. min. sp. 3.

05 A. senilis sp. mac. 2.

a. A. — Var. brunneo-fusca, major. sp. 2.

b. A. — Var. med. sp. 2.

c. A. — Var minim. sp. unic.

09 A. granosa. sp. 3.

a. A. — Var. min. Chemn. VII. fig. 559. sp. 2.

07 A. decussata. sp. 3.

a. A. — Var. min. sp. unic.

08 A. æquilatera. sp. unic.

09 A. Cucullus. sp. 3.

a. A. — Var. Chemn. VII. fig. 528. sp. unic.

10 A. reticulata. sp. unic.

a. A. — Var. minim. sp. plur.

11 A. candida. sp. plur.

12 A. undata. sp. 2 polita.

13 A. Pectunculus. sp. 2.

a. A. — Var. minor. sp. 2.

14 A. pectinata. sp. 3.

15 A. Glycymeris. sp. 3.

16 A. pilosa. sp. 3.

17 A. nummaria. sp. unic.

18 A. nucleus. sp. plur.

19 A. rhomboidea. sp. plur.

20 A. multistriata. Chemn. VII. fig. 573. sp. 3.

A. A. nodulosa. Mull. Zool. Dan. prodrom. n. 2984. sp. 2.

Perna.

322 P. (Cuvier Tableau elem. de l'hist. nat. des anim. p. 121.) Genus omnino distinctum. Cardo edentulus, fossulis plurimis longitudinalibus paralellis. Ex Ostreis Linnei.

P. Ephippium. sp. 2.
a. P. — Var. min. sp. unic.
23 P. mytiloides Chemn. VII. fig. 575. sp. unic.
24 P. semiaurita. ibid. fig. 579. 580. sp. plur.
25 P. —? præcedenti affinis. Testa striata inæquilatera. E. Nicobar. sp. plur.
26 P. Isognomum. Chemn. VII. fig. 582.
a. P. — Var. ibid. fig. 583. sp. unic.

Ostrea.

327 O. maxima sp. unic.
a. O. — petrefact. sp. max. e Gallia.
28 O. jacobæa. sp. 2.
29 O. Zicrac. sp. 3.
30 O. Pleuronectes. sp. plur. var. magnit.
31 O. radula. sp. 2.
a. O. — Var. minim. sp. plur.
32 O. imbricata. sp. plur.
33 O. Plica. sp. plur.
34 O. Pallium. sp. unic.
35 O. nodosa sp. unic.
36 O. pes felis. sp. unic.
37 O. pellucens? sp. plur.

38 O. sanguinea sp. plur. var. magn.

39 O. — Var violacea. sp. unic.

40 O. varia. sp. plur.

41 O. pusio. sp. 2.

42 O. glabra. sp. plur.

43 O. opercularis. sp. 3.

a. O. — *V*ar. min. sp. plur.

44 O. gibba sp. plur.

45 O. histrionica. sp. 2.

46 O. islandica. sp. 2.

a. O. — *V*ar. min. sp. plur.

47 O. triradiatus Mull. Zool. Dan. tab. 60. fig. 1. 2. sp. plur.

48 O. senatoria. sp. 2.

49 O. sulphurea. sp. unic.

50 O. porphyria. sp. 2.

51 O. vitrea. sp. 3.

52 O. tranquebarica. sp. plur.

53 O. danica. Chemn. XI. fig. 2043. sp. plur.

54 O. reticulata ibid. fig. 2039. 2040. sp. unic.

55 O. exotica ibid. fig. 2037. 2038. sp. unic.

56 O. Pes Lutræ D'Argenville tab. 27. fig. fig. A. sp. unic.

57 O. inflata sp. plur.

58 O. Lima. sp. 3.
59 O. glacialis. sp. 3
60 O. excauata. valv. unic.
61 O. Malleus. sp. 2. maxim. pulcherr.
a. O. — *Var.* alba. sp. unic.
b. O. — *Var.* uniaurita. sp. 2.
62 O. *Vulfella.* sp. plur.
63 O. anatina. sp. 3.
64 O. diluviana (fossilis.) sp. unic.
65 O. Folium. sp. plur.
66 O. edulis sp. 2.
67 O. fornicata. sp. unic.
68 O. Forskåhlii. valv. unic.
69 O. rostrata. sp. unic.
70 O. virginica. sp. un. max.
71 O. cornucopiæ. sp. unic.
72 O. parafitica. valv. unic.

Anomia.

373 A. craniolaris. sp. plur.
74 A. pectinata. sp. unic.
75 A. Ephippium. sp. 3.
76 A. electrica. sp. 2.
77 A. squamula. sp. plur.

A. A. ænigmatica. Chemn. XI. fig. 1949.
1950. sp. 3.

78 A. scobinata. sp. 2.

79 A. Gryphus (fossilis) sp. unic.

80 A. striatula. sp. unic.

81 A. truncata. sp. 3.

82 A. reticularis (fossilis.) sp. unic.

83 A. plicatella (fossilis.) sp. unic.

84 A. lacunosa (fossil.) sp. plur.

85 A. Caput serpentis. sp. plur.

86 A. Terebratula (fossilis.) sp. unic.

87 A. Placenta. sp. 2 maj. un. med. d. un. min.

88 A. Sella. sp. 2. pulcherr.

89 A. punctata. sp. 2.

90 A. undulata. sp. 3.

91 A. capensis. sp. plur.

92 A. vitrea. sp. plur.

93 A. dorfata. sp. 2.

94 A. psittacea. sp. 2.

95 A. tridentata. sp. unic. pulcherr.

96 A. Nucleus. sp. unic.

Mytilus.

397 M. Crista Galli. sp. 3.

398 M. Hyotis. sp. unic.
99 M. Frons. sp. 2.
400 M. margaritiferus sp. plur.
a. M. — *V*ar squamosa. sp. 2.
01 M. lithophagus. sp. 2.
a. M. — *V*ar. minima. sp. plur.
b. M. — Ver. (M. cinnamomeus Chemn. *V*III. fig. 732.) idem cum M. vulgari Gmel. Syst. Nat. pag. 3358. sp. plur.
02 M. bilocularis. sp. plur.
a. M. — *V*ar. Chemn. *V*III. fig. 737. 1-3 sp. unic.
03 M. exustus. sp. 3.
04 M. barbatus. sp. unic.
05 M. edulis sp. unic. max. e Norwagia.
a. M. — *V*ar vulgar. sp. 3.
b. M. — *V*ar. fasciis albis e Grönlandia. sp. 2.
c. M. — monstrofus basi truncata. sp. unic.
06 M. ungulatus. sp. 2.
a. M. — *V*ar. (M. afer Chemn. *V*III. fig. 739-741.) sp. plur.
b. M. — *V*ar. (M. perviridis Chemn. XI. fig: 2027.) sp. 2.
07 M. bidens. sp. plur.

408 M. Modiolus. sp. plur. variæ. megnitudinis.
a. M. — *Var.* natibus coccineis (polita.) sp. un.
09 M. cygneus. sp. 2.
a. M. — *Var.* eChina. sp. un.
10 M. anatinus. sp. 3.
11 M. discors. sp. 2 maj. plur. minim.
12 M. Hirundo. sp. plur.
a. M. — *Var.* min. alata. sp. plur.
b. M. — *Var.* (M. avicular. Chemn. XI. fig. 2025-2026.) sp. 2.
c. M. — *Var.* Chemn. *VIII.* fig. 726. sp. 2.
d. M. — *Var.* ibid. — fig. 727. sp. 3.
13 M. Pholadis. sp. plur.
14 M. striatulus (*Var.* M. bilocularis ?) sp. un.
15 M. plicatus. sp. unic.
16 M. viridis. Linn. sp. plur.
17 M. coralliophagus. sp. unic.
18 M. lineatus. sp. 2.
19 M. Faba. sp. plur.

Pinna.

20 P. rudis. sp. 3. maj. 1. minim.

a. P. — *Var.* β. squamis canaliculato-tubulosis per series digestis. sp. unic.
421 P. pectinata. sp. 2.
a. P. — *Var.* β. sp. 3. var. magnit.
22 P. nobilis. sp. 2.
a. P. — *Var.* γ. sp. unic.
23 P. muricata. sp. 3.
24 P. squamosa. sp. 3.
25 P. saccata. sp. 2.
a. P. — *Var.* Rumph. tab. 46. fig. N. sp. unic.
26 P. vitrea. sp. unic.
27 P. incurva. sp. 2.
28 P. bicolor. sp. 2.
29 P. maxima (*Var.* rudis? longit. 2 pedali) sp. 3.
A. P. unguis (Patella unguis Linn.) sp. plur.

Univalvia.

Argonauta.

430 A. Argo. Martin. I. fig. 156. sp. unic.
a. A. — *Var.* γ. sp. 2. maj. 1 minim.

b. A. — *Var.* δ. sp. unic.
A. A. Cornu. sp. 2.

Nautilus.

431 N. Pompilius. sp. plur.
a. N. — *Var.* minim. sp. 2.
32 N. Spirula. sp. plur.

Conus.

433 C. marmoratus. sp. 3. maxim.
a. C. — *Var.* β. Gmel. sp. 3.
b. C. — *Var.* ead. fasciis distinctis. sp. 2.
c. C. — *Var.* pallida. sp. 2.
34 C. imperialis sp. 3. magn. 2 min.
a. C. — *Var.* γ. Gmel. sp. plur.
35 C. litteratus. sp. 3. max.
a. C. — *Var.* fasciata. sp. 2.
b. C. — *Var.* fasciis distinctissimis. sp. 2.
c. C. — Var. minim. sp. 3.
d. C. — Var. β. Gmel. spira convexa, anfractibus distinctis sp. 2.

e. C. — Var. macularum serie confluenti. sp. unic.

436 C. Generalis. sp. 2. pulcherr.

a. C. — Var. Martin. II. fig. 647. sp. 2.

b. C. — Var. β. Chemn. x. fig. 1301-1303. sp. 3.

37 C. Virgo. Chemn. VII. fig. 586. sp. plur.

a. C. — Var. γ. sp. plur.

b. C. — Var. ε. sp. un. polit.

38 C. Capitaneus. sp. 3.

a. C. — Var. min. sp. 3.

b. C. — Var. θ. sp. plur.

c. C. — Var. Chemn. XI. fig. 1764-1765. sp. 3.

d. C. — Var. non desig. Spira convexa, testa maculata, fusco-flava, fascia terminali et media albida, utrinque punctis fuscis marginatis. Magnit. 4 poll. Patria mihi ignota.

e. C. — Var. ι. sp. 2. max.

39 C. Miles. sp. 2. maj. 2. min.

40 C. Princeps. Chemn. x. tab. 144. A. fig. a. b. sp. 2. pulcher.

a. C. — Var. radiis confluentibus. sp. un.

b. C. — Var. Chemn. XI. fig. 1786-1787. sp. un.

441 C. Ammiralis summus. sp. 2. pulcherr. qvor. unum. longit. 2 poll. latit 1½ poll.
a. C. — occidentalis. sp. 3. magn.
b. C. — surinamensis. sp. unic.
42 C. Vicarius. sp. 2.
43 C. Senator. sp. unic.
44 C. nobilis. *Chemn.* x. fig. 1313-1314. sp. unic
45 C. genuanus. sp. 2. maj. 2. minor.
a. C. — *Var.* (Ala papilionis) sp. unic.
46 C. glaucus. sp. unic.
47 C. monachus sp. unic.
a. C. — *Var.* β. sp. unic.
48 *C.* minimus. sp. plur.
49 C. rusticus. Var. β. sp. 3.
50 C. mercator. sp. 2. maj. 3. min.
a. C. — Var. monstrosa, labio tumido. sp. unic.
b. C. — Var. Martin. 11, fig. 621. sp. unic.
51 C. betulinus. sp. plur. var. magnit.
52 C. figulinus. sp. plur. var. magnit.
a. C. — Var. Martin. 11. fig. 657. sp. 2.
53 *C.* ebræus. sp. 3.
a. C. — Var. β. sp. 2.

454 C. stercus muscarum. sp. 2.

a. C. — Var. γ. sp. 3.

b. C. — Var. β. Mart. 11. fig. 698. sp. unic.

55 C. varius. sp. 3.

a. C. — Var. Chemn. x. fig. 1284. sp. 2.

56 C. achatinus. sp. unic.

a. C. — Var. δ. sp. unic.

57 C. leoninus. *Mart.* 11. fig. 606. sp. unic.

a. C. — Var. ibid. fig. 603. sp. 2.

b. C. — Var. λ. sp. 2.

c. C. — Var. μ. sp. 2.

58 C. jaspideus. sp. plur.

59 C. Coffeæ. sp. unic.

60 C. Amadis. sp. 3.

a. C. — *Var.* Chemn. x. fig. 1322-1323 sp. unic.

61 C. arachnoideus. sp. 2.

a. C. — *Var.* anfractibus distinctis elevatis. sp. un.

b. C. — *Var.* δ. sp. 3.

c. C. — *Var.* præcendenti affinis, fasciis distinctissimis. sp. 3.

d. C. — *Var.* Chemn. x. fig. 1297. (L'admiral de Rumphius) sp. unic.

e C.— *Var.* Chemn. x. fig. 1290-1291. sp. unic.

462 C. leucostictus. sp. 3. maj. 1 minim.
63 C. coronatus. Mart. 11. fig. 709. sp. plur.
64 C. lapideus Chemn. x. fig. 1286 - 1288. sp. plur.
65. C. punctatus. Martin. 11. fig. 641. sp. 3. (Knorr VI. tab. 13. fig. 6)
66 C. zeylanicus. sp. unic.
67 C. Nussatella. sp. plur.
a. C. — Var. pallida, striis lævioribus sp. 2.
68 C. Clavus. sp. 3.
a. C. — Var. Mart. 11. fig. 570.
69 C. Terebellum. sp. 2 maj. 2 min.
a. C. — Var. sp. unic.
70 C. fusus. sp. 2.
71 C. granulatus. sp. 2.
72 C. arauciacus. Var. β. sp. unic.
73 C. magus. sp. 3.
a. C. — Var. Chemn. x. fig. 1296. sp. unic.
74 C. striatus. sp. 3.
a. C. — Var. min. sp. 2.
b. C. — polit. sp. 2.
75 C. Textile. sp. 3.
a. C. — Var. min. sp. 2.
b. C. — Var. minim. sp. 2.

c. C. — *Var.* *Chemn.* x. fig. 1324. 1325. sp. 2.
d. C. — *Var.* Martin. II. fig. 599. sp. 2.
e. C. — *Var.* β. sp. unic.
f. C. — *Var.* γ. sp. 2.
476 C. aulicus. sp. 3.
a. C. — *Var.* α. sp. unic.
b. C. — *Var.* β. sp. 3.
c. C. — Var. *Chemn.* x. fig. 1328. sp. unic.
d. C. — *Var.* Martin. II. fig. 593. 594. sp. 2.
77. *C.* Thomæ. sp. unic.
a. *C.* — Var. β. (distincta species?) sp. unic.
78 *C.* Spectrum. sp. 2.
79 *C.* bullatus. sp. unic.
80 *C.* Tulipa. sp. 2.
81 *C.* Geographus. sp. 3. max.
a. C. — Var. min. sp. 2.
82 *C.* Vexillum (distans Solandri) Var. *Capitanei*? sp. unic. max.
a. C. — Var. min. sp. 2.
83 *C.* costatus Chemn. XI. fig. 1745 - 1747. sp. 3.
84 C. nov. spec. Testa luteo-fusca, punctis

sparsis fuscis, fascia media alba, spira elevata, maculis fuscis. — Patria mihi ignota. sp. 2.

485 C. mediterraneus Encycl. method. Livrais. XLVIII. p. 701. No. 91 sp. plur.

86 C. nov. spec. Chemn. x. tab. 144. A. fig. m. n. sp. unic.

87 C. australis. Chemn. xi. fig. 1774. 1775. sp. 2.

88 C. elongatus. Chemn. x. tab. 144. A. fig. i. k. sp. 3.

89 C. tenellus. Chemn. xi. fig. 1782. 1783. sp. unic.

Cypræa.

490 C. Exanthema. sp 3. max.

a C. — Var. min. sp. 2.

b. C. — Var. fascia elevata. sp. unic.

91 C. Mappa. sp. 3.

92 C. arabica sp. 3. max.

a. C. — Var. min. sp. 2.

93 C. Argus. sp. 3.

a. C. — Var. Chemn. x. fig. 1344. 1345. sp. unic.

94 C. testudinaria. sp. 2.

495 C. stercoraria. sp. 3.
a. C. — Var. Chemn. x. fig. 1333. sp. unic.
96 C. Carneola. sp. 3.
97 C. Zebra. sp. 3.
a. C. — Var. fusco-nigra, fasciis distinctissimis fuscis. sp. unic.
98 C. Talpa. sp. 3.
99 C. lurida. sp. plur.
500 C. lota. sp. plur.
1 C. fragilis. sp. 3. max.
a. C. — Var. min. sp. 3.
2 C. cinerea. sp. unic.
3 C. Cervus. Linn. Mantiff. Chemn. x. fig. 1343. sp. 3. qv. un. max.
4 C. Histrio. sp. 3.
5 C. sanguinolenta. sp. plur.
6 C. Regina. sp. unic.
7 C. undulata. sp. 2.
8 C. Caput serpentis. sp. plur.
9 C. non descript: præcedentis affinis. Testa gibba, dorso ferrugineo, fasciis albis, lateribus fuscis, subtus sordide alba. (White mouth carnelian Cowry.) — Ex Otaheite. sp. unic.
10 C. mauritiana. sp. 3.

a. C. — Var. tota fusca. sp. unic.
b. C. — Var. maculis distinctissimis. sp. 2.
511 C. Vitellus. sp. unic.
12 C. Mus. sp. 2.
13 C. Tigris. sp. 3. max. pulcherr.
a. C — Var. ferruginea, maculis fuscis. sp. 2.
14 C. Lync. sp. 2.
15 C. Isabella. sp. 3.
a. C. — Var. lituris nigris. sp. 3.
16 C. clandestina. sp. plur.
17 C. Ziczac. sp. 3.
18 C. Hirundo. sp. plur.
19 C. Asellus. sp. plur.
20 C. erronea. sp. 3.
21 C. ursellus. sp. plur.
22 C. Pyrum. sp. 3.
23 C. pulla. sp. 3.
a. C. — Var. Chemn. x. fig. 1341. sp. plur.
24 C. Ovum. sp. 3.
25 C. atomaria. sp. plur.
26 C. cribraria. sp. 3.
a. C. — Var. minim. sp 3.
27 C. Moneta. sp. 3. maxim.
28 C. Annulus. sp. 3.

529 C. caurica. sp. plur.
30 C. spuria. L. sp. 3.
31 C. stolida Mus. Cas. Born. tab. VIII. fig. 15. sp. unic.
32 C. helvola. sp plur. var. magnit.
33 C. ocellata. sp. plur.
34 C. poraria. sp. plur.
35 C. Pediculus. sp. plur.
a. C. — Var. (C. costata Gmel.) Knorr Vergn. VI. tab. 15. fig. 7. — sp. 2. e. Cap. b. sp.
36 C. Nucleus. sp. 3.
37 C. Staphylea. sp. plur.
38 C. Cicercula. sp. 2.
39 C. Globulus. sp. 3.

B u l l a.

540 B. Ovum. sp. 3. max.
a. B. — Var. gibba) B. imperialis Solandri. Humphrey Catalog. No. 195. sp. 2.
41 B Volva. sp. 2. pulcherr.
a. B. — Var. dealbata, glabra, ventricosa, rostris abbreviatis. sp. unic.
42 B. birostris. sp. unic.

543 B. Spelta. sp. unic.
44 B. verrucosa. sp. 3.
45 B. gibbosa. sp. 3.
a. B. — Var. pallid. min. sp. 2.
46 B. Naucum. sp. 3.
47 B. aperta. sp. plur. var. magnit.
48 B. Ampulla. sp. 3.
a. B. — Var. media. sp. 3.
b. B. — Var. minim. sp. 3.
49 B. lignaria. sp. 2.
50 B. Mysalis. sp. 3.
51 B. Amplustra. sp. unic.
52 B. Ficus. sp. plur. var. magnit.
a. B. — Var. fasciata. sp. unic.
b. B. — Var. distinctissime reticulato-striata. sp. 2.
53 B. Rapa. sp. 3.
a. B. — Var. β. sp. 2.
54 B. hypnorum. sp. 3.
a. B. — Var. major Chemn. IX. fig. 882. c. sp. 2. ex Otaheite. — (an distincta species?)
55 B. gelatinosa. sp. plur.
56 B. Terebellum. sp. plur.
a. B. — Var. β. sp. unic.
57 B. Cypræa. sp. 3.

558 B. virginea. sp. 2.
59 B. fasciata. sp. unic.
60 B. Zebra. sp. 2. pulcher. max.
a. B. — sp. 2. magn. pallid.
b. B. — sp. 3. minor. pallid.
61 B. achatina, fusca maculis longitudinalibus nigris. sp. 3. magn.
a. B. — fusco-viridis, ore purpureo. sp. 3. max.
b. B. — Var. min. sp. 3.
62. B. flammea Chemn. IX. fig. 1024. 1025. (male picta) testa reticulatim striata, maculis longitudinalibus undatis. sp. 3. (species omnino distincta)
63 B. Velum. sp. 3.
a. B. — Var. fasciis fuscis latioribus. sp. unic.
64 B. nova species præcedenti affinis, fasciis fuscis quatuor, latis, paralellis. E Tranqvebaria. sp. unic.

V o l u t a.

565 V. Auris Midæ. sp. un.
66 V. flamea. sp. unic.

567 V. Auris Judæ. sp. 2.
68 V. Auris Malchi. Chemn. IX. fig. 1039. 1040. sp. unic.
a. V. — Var. ibid. fig. 1041. sp. unic.
69 V. Auris vulpina. Chemn. XI. fig. 2086. 2087. sp. 2.
70 V. tornatilis. sp. 2.
71 V. solidula. sp. plur.
a. V. — Var. (Auris Cati Chemn. XI. fig. 1711. 1712. sp. plur.
72 V. Coffea. sp. unic.
a. V. — Var. fasciata. sp. plur.
b. V. — Var. transverſim striata; fasciis plurimis pallidis. sp. 2. ex Oceano australi.
73 V. porphyria. sp. 3. pulcherr.
74 V. Oliva. Var. α. sp. 3.
a. V. — Var. ε. sp. unic.
b. V. — Var. θ. sp. 2.
c. V. — Var. κ. sp. 2.
d. V. — Var. ρ. Martin. II. fig. 480. 481. sp. 3.
e. V. — Var. Martin. II. fig 503. 504. sp. 3.
f. V. — Var. ibid. fig. 563. sp. unic.
g. V. — Var. σ. sp. unic.

h. V. — Var. Martin. II. fig. 522. 523. sp. plur.

i. V. — Var. Chemn. x. fig. 1373. sp. 3.

k. V. — Var. ibid. fig. 1378. sp. 2.

l. V. — Var. Martin. II. fig. 476. 477. sp. 3. quorum duo fasciat.

475 V. Utriculus. sp. 3.

a. V. — Var. η. sp. 3.

b. V. — Var. Chemn. x. fig. 1367. 1368. sp. 2.

c. V. — Var. fusca maculis albis. sp. 2.

76 V. hiatula (ringens Solandri) sp. plur.

77 V. Ispidula. sp. 3.

a. V. — Var. Martin. II. fig. 491. sp. 2.

78 V. Dactylus. sp. 2.

79 V. exilis. sp. plur.

80 V. Persicula. sp. plur.

a. V. — Var. β. sp. 3.

81 V. pallida. sp. 3.

a. V. — Var. minim. sp. plur.

82 V. Faba. sp. 3.

83. V. glabella. sp. 3. max.

a. V. — Var. minim. sp. plur. var. pictur.

84 V. reticulata. sp. 3.

85 V. Turricula. hemn. IV. fig. 1398. sp. 3.

86 V. mercatoria. sp. plur.

587 V. rustica. sp. plur.
88 V. paupercula. sp. 3.
89 V. mendicaria. sp. plur.
a. V. — Var. fascia unica alba. sp. 2.
90 V. cancellata. sp. 3.
91 V. marginata (tota alba) sp. 3.
92 V. Porcellana. sp. plur.
93 V. Cornus. sp. unic.
94 V. Tringa. sp. 3.
95 V. Cornicula. sp. plur.
96 V. Virgo. sp. 3.
97 V. scabricula. sp. unic.
98 V. ruffina. sp. 2.
99 V. sanguisuga. sp. 2.
600 V. caffra. sp. plur.
1 V. Vulpecula. sp. 3.
2 V. plicaria. sp. 2.
3 V. bullata. sp. plur.
4 V. crenulata. sp. 2.
5 V. scutulata. sp. 3.
6 V. nigra. sp. 3.
7 V. subdivisa. sp. unic.
8 V. exasperata. sp. 3.
9 V. maculosa. sp. plur.
10 V. nodulosa. sp. plur.
11 V. spadicea. sp. plur.

612 V. aurantia. sp. 3.
13 V. acuminata. sp. plur.
14 V. sulcata. sp. unic.
15 V. turrita. sp. 3.
16 V. Ziervogelii. sp. unic.
17 V. Cardinalis. sp. 2.
18 V. episcopalis. sp. un. max. et alter. minim. labris denticulatis.
a. V. — sp. 2. labris detrittis.
19 *V.* papalis. sp. 3. max.
a. *V.* — Var. β. sp. 3.
20 *V.* patriarchalis. *V*ar. β. sp. 2.
21 *V.* anguluta Chemn. IV. fig. 1325. sp. unic.
22 *V.* mufica. sp. 3.
a. V. — *V*ar. δ. sp. plur.
b. *V.* — *V*ar. Chemn. XI. fig. 1717. 1718. sp. un.
c. *V* — fossilis. Chemn. XI. fig. 3006. 3007. sp. un.
23 *V.* *V*espertilio. sp. plur.
a. *V.* — *V*ar. spinis obtusis. sp. 3.
24 *V.* hebræa. sp. 3. var. magnit.
25 *V.* turbinellus. sp. un. max. 3. med.
26 *V.* Capitellum. sp. 2.
a. *V.* — sp. 3. detrit.
27 *V.* Pyrum. sp. 3. maxim.

a. *V.* — sp. 3. med.
b. V. — sp. 3. minim.
628 V. lapponica. sp. 2
a. V. — Var. punctato-fasciata. sp. 3.
29 V. Vexillum. sp. 2. pulcherr.
30 *V.* rupestris. sp. 3.
31 V. Nassa. sp. 3.
a. *V.* — Var. (echinata Chemn. xi. fig. 1151. 1152) sp. unic.
32 V. magellanica. sp. unic. max. 3. minor.
33 V. filosa. sp. 3.
34 V. fuscata. sp. unic.
35 V. œthiopica. sp. plur. var. magnit.
36 V. Cymbium. sp. 2. max.
a. V. — Var fusco-maculata. sp. plur. var. magn.
b. V. — Var spira depressa concava marginata. sp. unic.
37 V. Olla. sp. plur. var. magnit.
a. V. — pullus. (V. præputium Linn.) sp. plur.
38 V. Neptuni. sp. 3.
39 *V.* Navicula. sp. 2.
40 V. papillaris. sp. 3.
41 V. indica. sp. plur var. magnit.

Buccinum.

642 *B.* Olearium. sp. 3.
43 *B.* Galea. sp. max.
44 *B.* Perdix. sp. 3
45 *B.* Pomum. sp. 3.
a. *B.* — Var Chemn. xi. fig. 1791-1793. sp. unic.
46 *B.* Dolium. sp. un. max.
a. *B.* — sp. 3. media.
b. *B.* — sp. 2. minim.
c. *B.* — *Var.* transversim striata. sp. 3.
d. *B.* — Var. Chemn. xi. fig. 1804. 1805. sp. unic.
47 *B.* echinophorum. sp. 3.
48 *B.* plicatum. sp. 2.
49 *B.* cornutum. sp. plur. var. magnit.
50 *B.* rufum. sp. 3. max.
a. *B.* — sp. 2. minor.
b. *B.* — pullus. apertura lævi. sp. 2.
51 *B.* tuberosum. sp. un. giganteum, plur. min.
52 *B.* flammeum. sp. 3.
53 *B.* testiculus. sp. plur. var. magnit.
54 *B.* decussatum. sp. plur. var. magnit.
55 *B.* Areola. sp. plur.
A. *B.* tigrinum. sp. 3.

656 *B.* undulatum. sp. 3.

57 *B.* tesselatum. sp. 2.

58 *B.* Caffis. sp. unic.

59 *B.* strigatum.. sp. 3.

a. *B.* — Var. Martin. II. fig. 356. sp. 3.

A. *B.* tyrrhenum. sp. unic.

60 *B.* abbreviatum. sp. 3.

61 *B.* Erinaceus. sp. unic.

62 *B.* glaucum. sp. 3.

63 *B.* Vibex. sp. 2.

64 *B.* papillosum. sp. 3.

65 *B.* glans. sp. 3.

66 *B.* arcularia. sp. plur.

a. *B.* — Var. Chemn. x. fig. 1474. sp. 3.

67 *B.* pullus. sp. plur.

68 *B.* gibbosulum. sp. 3.

69 *B.* mutabile. sp. 3.

70 *B.* Harpa. sp. plur.

a. *B.* — *V*ar. Chemn. XI. fig. 1451. sp. unic.

b. *B.* — *V*ar. ibid. fig. 1453. sp. 3.

71 *B.* citharoedus *C*hemn. IX. fig. 2098. 2099. (foffilis) sp. unic.

72 *B.* persicum. sp. 2.

a. *B.* — Var. (Bucc. haustrum *C*hemn. x. fig. 1449. 1450. sp. 3.

b. B. — *Var.* γ. sp. unic.

673 B. monodon. sp. 2.

74 B. patulum. sp. 3.

75 B. hæmastoma. sp. plur.

a. B. — Var. fusco et luteo variegata. sp. plur.

b. B. — *Var.* Chemn. XI. (B. luteostoma) fig. 1800. sp. unic.

76 B. Lapillus. sp. plur.

77 B. smaragdulus. sp. 3.

78 B. scala. sp. plur.

79 B. spiratum. sp. plur.

a. B. — Var. β. sp. 3.

80 B. ocellatum. sp. 3.

81 B. glabratum. sp. 3.

a. B. — Var. Martin. IV. fig. 1193. sp. 3.

82 B. prærosum. sp. unic.

83 B. Orbita. sp. unic.

84 *B.* turgidum. sp. unic.

B. *B.* nov. spec. *C*hemn. XI. fig. 1847. 1848. sp. unic.

85 *B.* undosum sp. 3.

a. *B.* — Var. Martin. IV. fig. 1146. 1147. sp. unic.

86 *B.* tranquebarium. sp. 3.

87 *B.* versicolor. sp. 3.

688 *B.* sulcatum. sp. plur.
89 *B.* *Bezoar.* sp. 3. max.
a. *B.* — sp. 3. minor.
90 *B.* glaciale. sp. 3.
91 *B.* undatum. sp. plur.
A. *B.* carinatum. sp. 3.
92 *B.* anglicum. sp. 3.
a. *B.* — *Var.* alba Knorr. VI. tab. 23. fig. 3. sp. unic.
93 *B.* porcatum. sp. unic.
94 *B.* reticulatum. sp. plur.
95 *B.* niveum. sp. 3.
96 *B.* vulgatum. sp. 3.
97 *B.* nitidulum. sp. 3.
98 *B.* lævigatum. sp. plur.
A. *B* Haustorium. sp. unic.
B. *B.* testudineum. sp. 2.
99 *B.* *Catarrhacta.* sp. unic.
700 *B.* tahitense. sp. unic.
A. *B.* nova species. Chemn. XI. fig. 2082. 2083. sp. plur.
B. *B.* nova species. ibid. fig. 2078 - 2081. sp. 3.
1 *B.* maculatum. sp. 3. max.
a. *B.* — Var. Martin. IV. fig. 1442.
2 *B.* subulatum. sp. 3.

703 *B.* crenulatum. sp. 2.
4 *B.* vittatum. sp. plur.
a. *B.* — Var. Martin. IV. fig. 1470. 1471. sp. plur.
5 *B.* strigilatum.. sp. plur.
6 *B.* duplicatum. sp. plur.
7 *B.* lanceatum. sp. plur.
8 *B.* dimidiatum, sp. 3.
9 *B.* murinum, sp. plur.
10 *B.* Acus. sp. plur.
11 *B.* commaculatum. sp. 3.
A. B. Phallus. sp. 3.

Strombus.

12 S. fusus (labro dentato) sp. 2.
a. S. — Var. β. sp. unic.
b. S. — Var. γ. sp. unic. pulcherr.
13 S. Pes pelecani. sp. plur.
14 S. Chiragra. sp. plur. var. magnit.
a. S. — Var. adulta. sp. plur. var. ætatis.
b. S. — Var. intermedia. sp. 2. pulcherr.
15 S. Scorpius. sp. 2.
a. S — Var. Chemn. x. fig. 1508. 1509. sp. un.

b. S. — Var. intermedia. sp. 2. pulcherr.
715 S. Scorpius. sp. 2.
a. S. — Var. Chemn. x. fig. 1508. 1509. sp. un.
16 S Lambis. sp. 2.
a. S. — Var. digitis novem. sp. unic.
b. S. — Var. β. sp. 2.
c. S. — Var. b. sp. 2.
d. S. — Var. δ. (S. Camelus Chemn.) sp. 3.
e. S. — Var. ead. adulta. sp. 3.
17 S. Millepeda. sp. unic.
a. S. — Var. adulta. sp. unic.
18 S. lentiginosus. sp. un. max. 3. min.
a. S. — Var. a. sp. 3.
19 S. fasciatus (Var. S. Galli) sp. un. max.
20 S. Gallus. sp. 3.
a. S. — Var. β. sp. unic.
b. S. — Var. γ. sp. 3.
c. S. — Var. ε. sp. plur.
d. S. — Var. θ. sp. un.
21 S. Auris Dianæ. sp. 3.
a. S. — Var. δ. sp. un.
22 S. pugilis. sp. 3.
23 S. marginatus. sp. 2.
24 S. Luhuanus. sp. 3.
a. S. — Var. α. sp. 3.

b. S. — Var. γ. sp. un. max. 3. min.

725 S. gibberulus. sp. 3.

26 S. Oniscus. sp. plur.

27 S. Lucifer. sp. 2.

28 S. Gigas. sp. 2.

29 S. latissimus (Martin. III. fig. 874) sp. un. pull.

30 S. Epidromis. sp. 3.

a. S. — Var. minor. sp. 3.

31 S. minimus. sp. un.

32 S. Canarium. sp. 3.

a. S. — Var. lineis fuscis longitudinalibus. sp. un.

33 S. vittatus. sp. 3.

a. S. — Var. γ. sp. 3.

34 S. sulcatus. (Chemn. XI. fig. 1870. 1871. sp. unic.

35 S. succinctus. sp. 3.

36 S. spinosus (sessilis) sp. 3. pulcherr.

37 S. fissurella. sp. 3.

38 S. Urceus. sp. 3.

39 S. tridentatus. sp. 3.

40 S. dentatus. sp. 3.

41 S. costatus. *Var.* a. sp. un.

42 S. nova species præcedenti affinis. Spira acuta, anfractibus distinctis, ventre

transversim profunde sulcato. Specimen junius (ut mihi videtur) longit. 7 pollic. latitud 5 poll. Ex insulis Gallapagos in Oceano australi. sp. un.

743 S. Bryoniæ sp. 3. digitis septem et sp. 2. max. longit. 16 poll.

a. S. — Var. (Chemn. x. fig. 1512-1515) sp. plur. ætat. divers.

b. S. — Var. (Martin. III. fig. 904. 905. sp. 3. max. species hæc cum varietatibus suis, tribui prima inserenda dictitante natura; Lambidi habitu maxime affinis.

44 S. vexillum. sp. unic.

45 S. tuberculatus. sp. 3.

46 S. palustris. sp 2. magn. integerr.

47 S. auritus. sp. plur.

48 S. aculeatus. sp. 3.

Murex.

749 M. haustellum. sp. 3. magn.

a. *M.* — Var. min. sp. 3.

b. *M.* — Var. *Martin* III. fig. 745. 1045 - 1047. sp. 3.

750 *M.* nova species sinistra. Chemn. IX. fig. 902. 903. sp. un.

51 *M.* Tribulus. sp. plur.

a. *M.* — Var. spinis longissimis. sp. 2. pulcher.

52 *M.* Brandaris. sp. 2. max. 2 med.

a. *M.* — Var. Chemn. x. fig. 1571. sp. 2.

53 *M.* Trunculus. sp. plur.

54 *M.* Pomum. sp. 2. magn. 3 minor.

55 *M.* decussatum. Chemn. x. fig. 1540. 1541. sp. plur.

56 *M.* melanamathos. sp. 3. pulcherr.

57 *M.* ramosus *Martin.* III. fig. 980. sp. 3.

a. *M.* — Var. ibid. fig. 981. sp. 2.

b. *M.* — Var. ibid. fig. 982. 883. sp. 2.

c. *M.* — Var. fusca. sp. 2.

d. *M.* — Vár. *Martin.* III. fig. 987. 988. sp. un. dealbatum ramosissim.

e. *M.* — Var. ibid. fig. 993-995. sp. 3. quorum duo fusco-nigra. (an distincta species ?)

f. *M.* — Var. præcedentis, subramosa. sp. 3.

g. *M.* — Var. ζ. Gmel. Syst. Nat. sp. 3.

58 *M.* Scorpio. sp. unic.

59 *M.* saxatilis. sp. 3.

760 M. Erinaceus. sp. 3.
61 M. striatus. sp. 2.
62 M. Sacellum. sp. 2.
63 M. nov. spec. Chemn. xi. fig. 1881. sp. plur.
64 *M. Motacilla*? sp. 3.
65 *M.* Rana. sp. 3.
a. *M.* — Var. β. sp. 3.
66 *M.* gyrinus. sp. plur.
67 *M.* Lampas. sp. plur. var. magnitud.
68 *M.* Olearium. sp. 3.
69 *M.* Femorale. sp. 2.
70 *M.* cutaceus. sp. 2.
71 *M.* Lotorium. sp. 3.
72 *M.* pileare. sp. 2. magn. 2. minor.
73 *M.* Pyrum. sp. 3.
74 *M.* Rubecula. sp. 3.
75 *M.* scrobiculator. sp. 3.
76 *M.* reticularis. sp 3.
77 *M.* lamellosus. sp. 2. integerr. (*M.* magellanicus Gmel. et Chemn.)
78 *M.* nodatus. sp. unic.
79 *M.* Anus. sp. 3.
a. *M.* — *Var.* reticulata, nou tuberculata. sp. 3.
80 *M.* miliaris. Chemn. x. fig. 1530. 1531.

781 *M.* *N*odus. sp. 2.

82 *M.* neritoideus. sp. 2.

83 *M.* *M*ancinella. *V*ar. β. sp. plur.

84 M. Hippocastanum. sp. 3.

85 M. senticosus. sp. 3.

86 *M.* *M*elongena. sp. plur. qvor. unum. maxim. pulcherr.

87 *M.* citharoedus Chemn. xi. fig. 1862. 1863. sp. plur.

88 M. Lima. sp. plur.

89 M. babylonius. sp. 2.

a. M. — *V*ar. β. sp. unic.

b. *M.* — *V*ar. ε. sp. unic.

c. M. — *V*ar. ζ. sp. unic.

d. M. — *V*ar. non descript. angulis elevatis, granulatis. E China. sp. 3.

90 M. javanus. sp. 3.

91 M. sinensis. sp. 3.

92 M. Turris. sp. 3.

a. M. — *V*ar. *C*hemn. xi. fig. 1835. 1836.

A. *M.* — crispatus. (Buccin. crispatum Chemn. xi. fig. 1802. 1803.) sp. 2.

93 M. Colus. sp. 2.

a. M. — Var. tota alba. sp. 2.

b. *M.* — *V*ar. γ. sp. 3.

c. *M.* — *V*ar. pull. sp. 2.

d. M. — *Var.* monstrosa. *Chemn.* XI. fig. 2088. 2089. sp. unic.

e. M. — Var. fusco alba. Testa nodosa transversim striata. E. mari adriatico. sp. 3.

794 M. Morio. sp. plur. var magnit.

a. *M.* — *Var.* pallida. sp. unic.

95 M. canaliculatus. sp. 3.

96 M. *Carica.* sp. unic. maxim.

97 M. Rapa. sp. 3.

98 M. antiquus. Martin. IV. fig. 1294. sp. 2.

99 M. despectus. sp. 2.

800 M. Raphanus. *Chemn.* X. fig. 1558. sp. unic.

1 M. fornicatus. sp. 3.

a. M. — *Var.* (Mur. carinatus Pennant. Br. Zool. Tom. IV. tab. 77. fig. 96) sp. unic.

2 M. Argus. sp. 2.

3 M. maculosus. sp. plur. qvor. un. maxim.

4 M. magellanicus. sp. 2. (vid. No. 777)

5 M. litteratus. sp. plur.

6 M. Tritonis. sp. 2. maxim. 1. minim.

a. M. — *Var.* β. sp. unic.

7 M. Pusio. sp. 3.

8 M. Tulipa. sp. 3.

9 M. clatratus. sp. 3.

10 M. Nassa. sp. unic. dealbat.

11 M. Fiscellum. sp. 3.

12 M. corneus. sp. plurim.

a. *M.* — Var. dealbat. sp. plur.

13 M. Trapezium. sp. 3.

a. M. — *V*ar. β. sp. plur.

14 *M.* *V*espertilio. sp. 3.

15 M. Tuba. (Favanne Conchyl. tab. 35) sp. 2. max. 2. minor.

a. *M.* — Var. Simillima Chemn. IX. fig. 902. 903. sed dextra. e China. sp. 2.

16 M. craticulatus. sp. unic.

17 M. ternateus. sp. unic.

18 M. Infundibulum. sp. unic.

19 M. polygonus. sp. 3.

a. M. — Var. Martin. IV. fig. 1313-1316. sp. 3.

20 M. islandicus. sp. plur.

21 M. lævigatus? (foſſilis) sp. un.

22 M. ficulneus Chemn. X. fig. 3004. 3005. (foſſilis) sp. un.

23 M. Noæ Chemn. XI. fig. 2096. 2097. (foſſilis) sp. un.

24 *M.* candidus. sp. 2.

25 *M.* undatus. sp. unic.

26 M. longissimus. sp. unic.

27 M. maroccensis. sp. plur.

28 M. varicosus. Chemn. x. fig. 1546. sp. 3.

19 M. lineatus. sp. 3.

30 M. neritoideus Gmel. S. Nat. p. 3559.

31 *M.* vertagus. sp. plur.

A. *M.* nov. spec. præcedenti affinis. Martyn univ. Conch. Tom. 1. fig. 12. E. Pulo Condore. sp. unic.

32 M. Aluco. sp. 3. max.

a. *M.* — Var. Martin. IV. fig. 1418. sp. 3.

b. *M.* — Var. ibid. fig. 1480. sp. 3.

33 *M.* fuscatus. sp. plur.

34 M. Radula. sp. plur.

35 M. asper. sp. 3.

36 M. gibbosus. Chemn. XI. fig. 1829. 1830. sp. plur.

37 M. contrarius. sp. unic. (nullo modo hujus tribus)

Trochus.

838 T. niloticus. sp. 3.

a. T. — Var. min. sp. 2.

39 T. maculatus. sp. plur. var. magnit.

40 T. perspectivus. sp. plur. var. magnit.
41 T. hybridus. sp. 2. (Var. T. perspect)
42 T ? *Chemn.* IX. fig. 1045. sp. 2.
43 T. Pharaonis. sp. 3.
44 T. *Magus.* sp. plur.
a. T. — Var. e. Nicobariis. sp. plur.
45 T. Modiolus. sp. plur.
46 T. umbilicaris. sp. 3.
47 T. nova spesies. Testa sylindrico-umbilicata, convexa, basi glaberrima convexa; anfractibus glabris, fasciis obliquis fusciis, ore margaritaceo. E. freto Regis Georgi. sp. unic. (umbilicari affinis)
48 T. pumilio Chemn. XI. fig. 1088. sp. plur.
49 T. solaris. (nigra) sp. unic.
a. T. — Var. Chemn. V. fig. 1716. 1717. sp. 3.
50 T. Tectum. Var. *Chemn.* X. fig. 1583. sp. 3.
51 T. Conus. sp. unic.
52 T. vernus. sp. 2.
53 T. conspersus. sp. unic.
54 T. ochroleucus. sp. 4.
55 T. costatus. sp. unic.
56 T. inæquælis. sp. unic.

857 T. regius. sp. unic. *NB.* species sex præcedentes vix distinctæ, sed, ut mihi videtur, var. Trochi maculati.

58 T. cylindricus. sp. unic.

59 T. radiatus. sp. unic.

60 T. ? Chemn. x. fig. 1579. 1582. sp. unic.

61 T. rusticus. sp. 3.

62 T. capensis. sp. plur.

63 T. ægyptius. sp. 3.

64 T. depressus. sp. plur.

65 T. groenlandicus. sp. 3.

66 T. urbanus. sp. plur.

a. T. Var. Chemn. v. fig. 1754. 1755. sp. plur.

67 T. Nodulus. sp. plur.

68 T. tessulatus. sp. plur.

69 T. indicus. sp. unic.

70 T. infundibuliformis. sp. 3.

71 T. stramineus. sp. 3. qvor. un. max.

72 T. variegatus. sp. plur.

73 T. inermis. sp. 3. (vix hujus tribus)

74 T. imperialis sp. pulcherr.

75 T. turcicus. *Chemn.* xi. fig. 2066. sp. unic.

76 T. planus. sp. unic,

877 T. callosus. sp. plur.
78 T. vestiarius. sp, plur.
a. T. — Var. pulcherrime variegata, e nova Zeelandia. sp. 3.
b. T. — Var. coronata *Chemn.* xi. fig. 1898-1900. .sp unic.
79 T. Labio. sp. 3.
a. T. — Var. e nova Zeelandia (simillima melastomo. Gmel. Chemn. v. fig. 1526. a. b. sed. fauce albo) sp. 2.
80 T. quadricarinatus. Chemn. x. fig. 1892. 1893. sp. 3.
81 T. Tuber. sp. plur. var. magnit.
a. T. — Var. sp. plur.
82 T. Zizyphinus. sp. plur.
83 T. Obeliscus. sp. 3.
a. T. — Var. β. sp. 3.
b. T. — *Var. Chemn.* v. fig. 1597. sp. 3.
84 T. distortus. sp. 2.
85 T. virgatus. sp. 3.
86 T. foveolatus. sp. 3.
87 T. diaphanus. sp. 2.
88 T. Iris. *Chemn.* v. fig. 1522. sp. 3.
a. T. — Var. ibid. fig. 1523. sp. 3.
89 T. rostratus. sp. 3. et 2 polit.

890 T. virgineus. Chemn. x. fig. 1581-1582. sp. unic.

91 T. doliarius. ibid. fig. 1519. 1580. sp. unic.

92 T. Turbo. Chemn. ix. fig. 1059. sp. 2.

a. T. — e freto magellanico. sp. unic.

93 T. americanus? sp. unic. e nova Zeelandia.

94 T. cælatus. sp. unic.

95 T. purpureus. sp. 3.

96 T, Cookii. sp. unic.

97 T. nodulosus. sp. 2.

98 T. mauritianus. sp. 3. (*Var.* Tr. foveolati?)

99 T. fenestratus. sp. plur.

900 T. helicinus. sp. unic.

a. T. — Var. Chemn. v. fig. 1558. 1559.

1 T. argyrostomus. sp. plur.

2 T. sinensis. sp. 3.

a. T. — *Var.* punctis. albis. sp. unic.

3 T. lugubris? sp. unic.

4 T. conchyliophorus. sp. 3.

5 T. nova. species. exinsul. amic. sp. 3.

6 T. nov. spec. e nov. Zeel. sp. 2.

7 T. nov. spec. e nov. Zeel. sp. 3. Species (No. 905-907.) omnino distinctæ, mi.

nores, sed detritæ, ideo character specificus difficillime erui potest.

8. T. nov. spec. Testa pyramidali, subtus striata albo rubroque per seriem punctata, anfractibus granulatis, fusco alboque variegatis. Longit. semipollic. Ex Oceano pacifico. sp. 2.

9 T. Telescopium. sp. 3. integerr.

10 T. dolabratus. sp. plur. var. magnit.

11 T. perversus. sp. plur.

12 T. nov. spec. Testa turrita, basi convexa; anfractibus substriatis, colore lateritio. Longit. semipoll. Ex Oceano pacifico. sp. unic.

Turbo.

913. T. obtusatus. sp. 3.

14 T. neritoideus. sp. plur.

15 T. littoreus. sp. plur.

16 T. muricatus. sp. plur.

17 T. pullus. sp. plur.

18 T. nov. spec. pullo affinis, sed triplo major. Testa rubra fusco et albo variegata. Ex Oceano australi. sp. 2.

919 T. personatus. sp. plur.
20 T. petholatus. sp. plur.
a. T. — *Var.* Chemn. v. fig. 1833. sp. unic.
21 T. Cochlus. sp. unic.
22 T. Chrysostomus. sp. plur. Var. magnit.
23 T. echinatus. ex insul amic. sp. 2. (Var. præcedentis? idem cum T. spinoso *G*mel. S. N. p. 3594.)
24 T. Pagodus. sp. 3.
25 T. *C*alcar. sp. unic.
26 T. rugosus. sp. plur.
27 T. granosus. *C*hemn. v. fig. 1804. 1804. (*G*mel. pag. 3593. *Var.* rugosi. sed omnino distincta species.) sp. 2.
28 T. marmoratus. sp. unic.
29 T. sarmatica. sp. 3. qvor. un. max. alt. min. test. polit.
30 T. Olearius. sp. 2. max.
31 T. cornutus. sp. 3.
32 T. radiatus (testa subimperforata) sp. 2.
33 T. coronatus. sp. unic.
34 T. canaliculatus. sp. 2.
35 T. setosus. sp. un. ex Otaheite (*Var.* præcedentis?)
36 T. Sparverius? sp. unic.

937 T. Castanea sp. plur. var. picturæ.
38 T. crenulatus. sp. unic.
39 T. Smaragdus. sp. 2. qvor. un. max. e Zeelandia.
40 T. Aethiops. sp. 2.
41 T. nicobaricus. sp. 2.
42 T. Cidaris. Var. β. sp. plur.
a. T. — Var. γ. sp. unic.
b. T. — Var. ε. sp. 2.
43 T. nigerrimus. ex Oceano australi.
44 T. niveus. sp. 3.
45 T. nova species. *Chemn*. v. fig. 1850. 1351. e nov. Zceland. sp. 3.
46 T. Pica. sp. plur. magn.
a. T. — *Var*. minim. sp. plur.
47 T. argyrostomus. sp. 3.
48 T. versicolor. sp. 3.
49 T. Delphinus. sp. plur.
a. T. — Var. β. sp. 3.
50 T. distortus. sp. plur.
51 T. aculeatus. sp. 3.
52 T. granulatus. sp. 3.
53 T. Ludus. sp. 2.
54 T. thermalis? sp. plur.
55 T. scalaris. sp. 3. longitudine bipollicari integerrima.

956 T. Clathrus. sp. 3.

a. T. — Var. Martin. IV. fig. 1436. 1437. sp. 3.

b. *T. Var. Chemn.* XI. fig. 1878. 1879. sp. unic.

57 T. nova species, affinis præcedenti. Testa turrita, sordide alba anfractibus contiguis, duobus maximis, costis distinctis, qvarum duæ elevatæ per omnes anfractus; labio marginato, ore orbiculari. Longit. semipollic. Ex India ient. or. sp. plur.

A. *T.* lacteus. sp. 2.

58 *T.* striatulus. sp. unic.

59 *T.* Uva. sp. 3.

60 *T.* nova. species. *Chemn.* IX. fig. 1256. 1257. sp. 2.

61 *T.* reflexus. sp. plur.

62 *T.* Lincina. sp un. mac. minim. plur.

63 *T. Turris Thomæ. Chemn.* XI. fig. 3022. sp. plur.

64 *T.* imbricatus.

65 *T.* replicatus. sp. 2.

66 *T.* acutangulus. sp. 3.

67 *T.* duplicatus. sp. 2.

68 *T. Terebra.* sps 2.

969 *T.* variegatus. sp. 3.
70. *T.* corrugatus. Chemn. ix. fig. 961. sp. unic.
71 T. bidens. sp. plur.
72 *T.* papillaris Chemn. ix. fig. 963. 964. (Var. *T.* bidentis.) sp. un.
73 *T.* perversus. sp. plur.
74 T. tridens. sp. 3.
75 T. muscorum, sp. plur.

H e l i x.

976 H. Scarabæus. sp. plur. var. magnit.
77 H. Lapicida. sp. 3.
78 H. ?. Chemn. ix. fig. 1102. 1. 2. sp. 3.
79 H. marginata. sp. unic.
80 H. cicatricosa. (sinistra) sp. unic.
81 *H.* Oculus Capri. sp. un.
a. *H.* — *Var.* e Rio negro, Lusitaniæ. sp, 2.
82 *H.* Albella. sp, unic.
83 *H.* Albina. sp 2.
84 *H.* striatula. sp. unic.
85 *H.* Algira, sp. 3.
a. *H.* — Var. e Carinthia. sp. 2.

986 *H.* vermiculata. sp. plur.
87 *H.* exilis sp. plur.
88 *H.* incarnata. sp. 3.
89 *H.* planorbis sp. plur.
90 *H.* complanata. sp. plur.
91 *H.* ringens sp. unic.
92 *H.* Lucerna. sp. unic.
a. *H.* — *Var?* sp. 3.
93 *H.* *Carocolla.* sp. 3. max.
94 *H.* ?. media inter *Carocollam* et unidentatam. Testa imperforata, subcarinata, fusca, fascia obscuriori, labio unidentato. E *Guadeloupe.* Lister. tab. 51. fig. 49. ?. sp. 2.
95 *H.* unidentata. *Chemn.* XI. fig. 2050. sp. unic.
96 *H.* Cornu militare. sp. unic.
97 *H.* pellis serpentis. sp. 3.
98 *H.* *Vortex.* sp. untc.
99 *H.* scabra. sp. plur.
1000 *H.* Gualteriana. sp. unic.
1 *H.* planata. *Chemn.* XI. fig. 2065-2067 2069. sp. 3.
2 *H.* nova species. præcedenti affinis. Testa imperforata depressa oblique stri-

ata, subfusca, fasciis fuscis obliquis. Ins. St. Mauritii. sp. 3

1003 *H.* cornea. sp. 2.

4 *H.* Spirorbis. sp. plur.

5 *H.* contorta. sp. plur.

6 *H.* nitida. sp. unic.

7 *H.* Cornu arietis sp. plur.

8 *H.* hispida. sp. plur.

9 *H.* ampullacea. sp. 2. max. plur min.

a. *H.* — Var. γ. sp. 3.

b. *H.* — Var. sinistra. sp. 3.

10 *H.* Nux. Chemn. xi. fig. 2055. 2056. sp. 2.

11 *H.* Pomatia. sp. 3.

a. *H.* — Var. sp. plur.

b. *H.* — Var. sinistra. sp. 2.

12. *H.* ?. Chemn. ix. fig. 911. 912. sp. unic.

13. *H.* ?. ibid. fig. 911. 912. sp. nnic.

14 H. Castanea. sp. 3.

15 *H.* globulus sp. plur.

16 *H.* lactea. sp. plur.

17 *H.* ? imperforata depressa, subfusca, fascia alba apertura fusca, labro marginato. sp. 3.

18 *H.* arbustorum. sp. plur.

1019 *H.* ?. testa subumbilicata, depressa, fusca fasciis obliquis aurulentis; labro albo. Guadeloupe. sp. unic.

20 *H.* fulva. sp. 3.

21 *H.* ligata (Var. *H.* pomatiæ?) sp. un.

22 *H.* ?. *Chemn.* IX. fig. 1140. sp. unic.

23 *H.* adspersa. sp. plur.

24 *H.* pisana. sp. unic.

25 *H.* zonaria. sp. unic.

26 *H.* ericetorum. sp. glur.

a. *H.* — Var. sp. plur.

27 *H.* pulchella. sp. plur.

28 *H.* rotundata. sp. plur.

29 *H.* cellaria. sp. plur.

30 *H.* obvoluta. sp. plur.

31 *H.* ungulina. sp. plur.

32 *H.* fruticum. sp. plur.

33 *H.* Lucana sp. 3.

34 *H.* vittata. sp. plur.

35 *H.* mamillaris. sp. 2.

36 *H.* pileus. sp. un.

37 *H.* Volvulus. sp. plur. var. magnit.

38 *H.* ?. *Chemn.* IX. fig. 950. 951. sp. un.

39 *H.* trifasciata. sp. un.

40. H. *Bontia.* sp. 3.

a. H. — Var. e *Benghalia.* sp. 3.

b. H. — Var. e Guinea sp. 2.

1041 H. perversa sp. 2.

a. H. — Var. δ. sp. 2.

42 H. dextra. sp. un.

43 *H.* inversa. sp. 3.

44 *H.* læva. sp. 2.

45 *H.* ?. (*Buccinum striatum* Mülleri) Chemn. IX. fig. 1028. 1029. sp. un.

46 H. janthina. sp. 3.

47 *H.* vivipara. sp. plur. var. magn.

48 *H.* nemoralis. sp. plur.

49 *H.* hæmastoma. sp. 3.

a. *H.* — Var. alba, fasciis plurimis fuscis, apertura purpurea. p. 2.

b. *H.* — Var. fusca, labio nigro, apertura alba. sp. 2.

50 *H.* solida sp. 3.

51 *H.* Johnii. Chemn. XI. fig. 2076. sp. un.

52 *H.* decollata. sp. plur.

53 *H.* ?. Chemn. IX. fig. 1258. sp. unic. *NB.* Figura optima, simillima testæ, sed hæc an hujus generis? apex natura aut casu truncata?

54 *H.* sulcata. sp. 3.

a. *H.* — Var. sp. unic.

1055 H. cylindracea. sp. 2.
56 H. scalaris sp. 2. (Dictitante habitu, potius varietas Helices pomatiæ.
57 H. subcylindrica. sp. plur.
58 H. octona. sp. plur.
59 H. tuberculata Chemn. IX. fig 1261. 1262. sp. plur.
60 H. Columna (sinistra) sp. uni
61 H. atra. sp. 2.
62 H. ? Chemn. IX. fig. 1230. sp. 2.
63 H. barbara. sp. plur.
64 H. Amarula. sp. plur.
65 *H.* aspera. sp. plur.
66 *H.* stagnalis. sp. 3.
67 *H.* fragilis. sp plur.
68 *H.* palustris. sp. unic.
69 *H.* peregra. sp. unic.
70 *H.* putris. sp. plur.
71 *H.* acuta. sp. 2.
72 *H.* detrita. sp. plur.
a. *H.* — Var. sinistra. sp. unic.
73 *H.* ?. præcedenti affinis sed major, fasciis fuscis. Schröter Erd.Conchyl. tab. 1. fig. 1. sp. 2.
74. *H.* ?. cornea, subtiliter striata, apertura subovata. Ex insul. St. Crucis. sp. 3.

75 H. limosa. sp. plur.
76 H.? Chemn. IX. fig. 1242
a. b. sp. 2.
77. H. tentaculata. sp. plur.
78. H. auricularia. sp. 3.
79. H. neritoidea. sp. unic.

Nerita.

1080. N. Canrena. sp. 3.
a. N. — Var. α. sp. plur.
b. N. — Var. β. sp. 3.
c. N. — Var. γ. sp. plur.
d. N. — Var. δ. sp. 3.
e. N: — Var. ε. sp. 2.
f. N. — Var. ζ. sp. 3.
g. N. — Var. χ. sp. unic.
h. N. — Var. ψ. sp. unic.
i. N. — Var. ω. sp. 2.
k. N. — Var. non descripta, fasciis albis maculatis, inter fascia striis undulatis. Conchinchinna. sp. un.
81 N. cancellata. sp. plur.
a. N. — *Var.* β. sp. 3.
82 N. glaucina. sp. 3.
83. N. *Vitellus.* sp. 2.

1084 N. Albumen. sp. 3.
85 N. mamillaris. sp. plur. var. color
86 N. spadica. sp. 3.
87 N. fulminea. sp. unic.
88 N. stercus muscarum. sp. unic.
89 N. orientalis. sp. unic.
90 N. cruentata. sp. 3.
91 N. rugosa. sp. unic.
92 N. arachnoidea. sp. 3.
93 N. vittata. sp. 3.
94 N. melanostoma. sp. 3.
a. N. — Var. β. sp. unic.
b. N. — Var. γ. sp. 3.
95 N. papilla sp. unic.
96 N. Corona sp. 3.
97 N. radula. sp. 2.
98 N. fluviatilis. sp. plur.
a. N. — Var. Chemn. IX. fig. 1086. sp. unic.
b. N. — Var. ibid. fig. 1087. sp. unic.
c. N. — Var. δ. ibid. fig. 1080. sp. 3.
d. N. — Var. e Guinea. (diverse picta.) sp. plur.
99 N. littoralis sp. plur.
1100 N. lacustris. sp. unic.
1 N. ?. testa rosea, fasciis tribus nigris,

alba decussatim striatis, labio crenulato. E Brasilia. sp. unic.

1102 N. pulligera. sp. 3.

3. N. atterrima. sp. 3.

4 N. pupa. sp. 2.

5 N. bidens. sp. 2.

a. N. — Var. ore croceo, testa subfasciata. E nov. Zee-landia. sp. 2.

b N. non descripta, præcedenti affinis, testa lævi, sordide alba, maculis variegata nigris; labio interiori dentato-crenulato; exteriori lævi. Ex oceano australi. sp. unic.

7 N. viridis. sp. plur.

8 N. polita. sp. plur. var. pictur.

9 N. Pelorontha. sp. plur. var. magnit.

10 N. Albicilla. sp. plur.

11 N. Histrio. sp. 3.

12 N. plicata. sp. 3.

13 N. grossa. sp. 3.

14 N. Chamæleon. sp .plur.

15 N. undata. sp. 2.

16 N. exuvia. sp. 2.

a. N. — Var. (N. textilis Gmel S. N.) Chemn. v. fig. 1944. 1945. sp. 2.

17 N. atrata. sp. 3.

1118 N. lineata. sp. unic (Var. N. Peloronthæ ?)
19 N. costata. sp. 3. (Var. N. Peloronthæ ?)
20 N. bifasciata. sp. unic.
a. N. — Var sp. unic.
21 N. ? præcedenti affinis. Le marbre rubanne Favana. Conchyl. Tab. 10. fig 1.1. sp. unic.
22 N. litterata. sp. 2.
23 N. ?. præcedenti affinis, nigra, fasciis viridibus marginibus croceis; labio interiori crenulato, exteriori lævi. Ex oceano australi. sp. un.
24 N. aculeata. sp. unic.
25 N. nov. spec. Chemn. XI. fig. 1905. 1906. sp. 3.

Haliotis.

1126. H. Midæ. sp. plur. var. magnit.
a H. — Var. spira valde elevata.
27 H. tuberculata. sp. plur. sp. 2. magn.
28 H. striata. sp. 3.
29 H. varia. sp. plur.

1130 H. marmorata. sp. 2.
31 H. asinina. p. plur. var. magnit.
32 H. parva? sp. plur. var. magnit.
33 H. australis. sp. unic.
34 H. imperforata. sp. 3.
35 H. pulcherrima. sp. unic.
36 H. virginea. sp. 3.
37 H. ovina. sp. 2.
38 H. Iris. sp. 2.

Patella.

1139. P. equestris. sp. un. magn. plur. mi
40 P. neritoidea? sp. 3.
41 P. chinensis. sp. plur.
42 P. porcellana sp. unic.
a. P. — Var. sp. unic.
43 P. fornicata. sp. plur.
44 P. aculeata. sp. 3.
45 P. trochiformis. sp. unic.
46 P. auricula. sp. plur.
47 P. goreensis. sp. plur.
48 P.? Knorr. Tom. III. fig. 1.
2. sp. unic.

1149 P. ?. Schroeters Neue Litterat. 3. B. pag. 6. No. 11. sp. plur.

50 P. laciniosa. sp. plur. var. magnit.

51 P. saccharina. sp. 3.

a. P. — Var costis triquetris, limbo interno fusco, fundo albo, sp. unic.

52 P. barbara. sp. plur.

a. P. — Var. testa alba, margine reflexa. sp. unic.

53 P. ?. testa alba oblonga, quadrata, cingulis elevatis, radiis 8 elevatis rugosis. sp. unic.

54 P. granularis. sp. 2.

55 P. granatina. sp. plur.

56 P. vulgata. sp. plur.

57 P. coerulea? sp. 3.

58 P. tricostata. sp. 2.

59 P. mytilina. sp. 2.

60 P. stellata. sp. plur.

61 P. magellanica. sp. unic.

62 P. ?. affinis punctulatae Gmel. S. N. p. 3717. Testa oblonga, grisea, striata, radiis fuscis albo

maculatis, vertice fusco, fundo aureo. Ex Oceano australi. sp. 3.
63 P. umbella. sp. plur.
a. P. — Var. ventricose annulata sp. 2.

page 84.

1164 P. crenata. sp. 3.
65 P. ferruginea. sp. 2.
66 P. tigrina? sp. 2.
67 P. ungarica. sp. plur. quor. un. soffile.
68 P. ?. da Costa Conchyliology. tab. 5. fig. 7. sp. unic.
69 P. antiquata. sp. 3.
70 P. miliaris. Linn. Mantiss. p. 252. sp. 3.
71 P. mamillaris. sp. 3.
72 P. tricarinata. sp. 3.
73 P. pectinata. sp. plur.
a. P. — Var. sp. 3.
74 P. lacustris. sp. plur.
75 P. fissurata. Chemn. XI. fig. 1929. sp. unic.

76 P. afra. sp. 3.
77 P. margaritaria. Chemn. XI. fig. 1914. 1915. sp. 3.
78 P. pellucida. sp. plur.
79 P. testudinaria. sp. un. max. plur. minor.
a. P. — Var. radiis distinctis flavis. sp. unic.
80 P. testudinalis. sp. 3.
81 P. compressa. sp. plur. var. magnit.
82 P. natala. sp. plur.

page 85.

a. P. — Var. detrita. sp. 2.
83 P. deaurata. sp. 3.
a. P. — Var. Martyn. univ. Conchyl. t. 64. sp. 2.
84 P. stellifera sp. 3. (Var. præcedentis)
85 P. radius. sp. 3.
a. P. — Var. convexior. sp. 2.
86. P. Rota. sp. 2.
87 P. umbellata. sp. unic.
88 P. fragilis. Chemn. XI.

fig. 1521. sp. 3.
89 P. cornea. Helbling.
Abhandl. der priv. Gesellschaft in Bohmen.
Tom. IV. fig. 8. sp. 3.
90 P. pustulata. sp. 3.
91 P. radiata. Chemn. XI.
fig. 1516. 1517. sp. 3.
92 P. Cochlear. sp. plur.
93 P. tramoserica. Chemn.
XI. 1912. 1913. sp. 2.
94 P. fiffura. sp. 3.
a. P. — Var. Chemn. XI. fig.
1295. 1296. sp. 2.
95 P. noachina. ibid. fig.
1927. 1928. sp. 2.
96 P. pustula. sp. plur.
97 P. græca. sp. plur.
98 P. nimbosa. sp. 3.

page 86.

1199 P. nubecula. sp. plur.
1200 P. picta? sp. unic.
1 P. jamaicensis. sp. plur.
2 P. macroschisma. Chemn.

xi. fig. 1923. 1924. sp. un.

Dentalium.

1203 D. aprinum. sp. unic.
4 D. politum. sp. plur.
5 D. striatulum. (totum album) sp. 3.
6 D.?. subarcuatum, glaberrimum. Ex. Oc. austral. sp. n.

Serpula.

7 S. filograna. sp. un.
8 S. penis. sp. 3.
9 S. Cochlearum perscissarum collectio e plurimis generibus.

Appendix.

Echinus.

1 E. esculentus. sp. 3. var. magnit. c. aculeis.
a. E. — Var. conica. sp. unic.
2. E. miliaris. sp. 2. acul. plur. var. magnit. sine aculeis.
a E. — Var Kleinii Echinodermata. tab. 38. fig. 2. 3. sp. un. c. acul.
3 E. hemisphæricus. sp. 2.
4 E. angulosus. sp. 2.
a. E. — Var. β. Gaultieri testac. tac. 108. fig A. sp. 2.
5 E. excavatus. sp. unic.
6 E. saxatilis. sp. 3.
7 E. fenestratus. sp. 2. quor. un. c. acul. alt. nud.
8 E. subangularis. sp. 3.
9 E. Diadema. sp. un. c. acul.
10 E. radiatus. sp. un.

11 E. Cidaris. sp. 2. quor. un. aculeat. alt. nud.
a. E. — Var. β. sp. unic. integerr. e acul.
12 E. mamillatus. sp. unic.
13 E. Lucunter. sp. 3.
14 E. atratus. sp. un. pulcher.
15 E. sardicus. sp. 3.
16 E. pustulosus. sp. 3.
17 E. granulatus. sp. 3.
18 E. tesselatus. sp. 2 (Var. præcedentis.?

page 88.

19 E. toreumaticus. sp. unic.
20 E. sinuatus. sp. un.
21 E. vulgaris. sp. 3.
22 E. semilunaris. sp. 3.
23 E. rosaceus. sp. 2.
24 E. oviformis. sp. 3.
25 E. biforis. sp. 3.
26 E. emarginatus. sp. 2. quor. un. aculeat. alt nud.
27. E. auritus. sp. 3.
28 E. Laganum. sp. 3.

29 E. decadactylus. sp. un.
30 E. octadactylus, sp. un.
31 E. orbiculus. sp. 3.
32 E. lacunosus. sp. un.
33 E. purpureus. (idem ac Basteri Gmel. S.N. p. 3170) sp. 2. aculeat.
a. E. — Var. arcis quinque valde impressis. Klein Echinoderm: tab. 33. fig. A. (an purpureus. absqe aculeis?)
34 E. spatagus. sp. 3. quor. un. fossile.
35. E. nov. spec. affinis Kleinii. Echinoderm. tab. 58. fig. 5. et Encycl. methodique. tab. 156. fig. 7. Testa ovato cordata, superne gibba, subtus plana, ambulacris quinque, quorum quatuor perparia dispositis quinto plano a vertice perforato in dorsum declinante, poris ad latera pinna-

tifide dispositis includuntur: areis, dorso et lateribus fundi foraminibus pluribus rotundis, pistillo in medio foraminum; pars anterior valde impressa perforata. Os semillinata Patria mihi ignota. sp. un.